



Amendments to the Claims

1. (Previously Presented) A compound represented by the structure of formula 1:



wherein R is a residue of a hydroxamic acid derivative histone deacetylase inhibitor; and R_a is represented by the structure:




wherein R_b is a hydrogen or an unsubstituted or substituted ethyl, isopropyl, butyl, isobutyl, sec-butyl, t-butyl, alkynyl, naphthyl, cycloalkyl, heterocyclyl, heteroaryl, alkylaryl, alkylcycloalkyl, alkylheterocyclyl, alkylheteroaryl or an amino acid residue; R_c is a hydrogen or an unsubstituted or substituted alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heterocyclyl, heteroaryl, alkylaryl, alkylcycloalkyl, alkylheterocyclyl, alkylheteroaryl or an amino acid residue and

R_d is hydrogen or an amino protecting group;


or a pharmaceutically acceptable salt thereof.

2. (Previously Presented) The compound according to claim 1, wherein R_b is a hydrogen, ethyl, isopropyl, butyl, isobutyl, sec-butyl, t-butyl, benzyl, alkylphenyl, naphthyl or pyridyl; R_c is a hydrogen, methyl, ethyl, isopropyl, butyl, isobutyl, sec-butyl, t-butyl, phenyl, benzyl, alkylphenyl, naphthyl or pyridyl.
3. (Previously Presented) The compound according to claim 1, wherein R_a is selected from the group consisting of:




and wherein m is an integer of 1 to 10.

4. (Previously Presented) A compound represented by the structure:



wherein each of R_1 and R_2 are independently the same as or different from each other and are a hydrogen atom, a hydroxyl group, a substituted or unsubstituted, branched or unbranched alkyl, alkenyl, cycloalkyl, aryl, heterocyclyl, heteroaryl, alkylcycloalkyl, alkylaryl, alkylheterocyclyl, alkylheteroaryl, arylalkyloxy, aryloxy, or pyridine group, or R_1 and R_2 are bonded together to form a nitrogen containing heterocyclic ring optionally containing one or more additional heteroatoms, and n is an integer of 4 to 8;


R_a is represented by the structure:



wherein R_b and R_c are independently of each other a hydrogen or an unsubstituted or substituted alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heterocyclyl, heteroaryl, alkylaryl, alkylcycloalkyl, alkylheterocyclyl, alkylheteroaryl or an amino acid residue; and


R_d is hydrogen or an amino protecting group.

5. (Previously Presented) The compound according to claim 4, represented by the structure:




wherein n is an integer of 4 to 8.

6. (Previously Presented) The compound according to claim 5, represented by the structure:



R_a is selected from the group consisting of:




and wherein m is an integer of 1 to 10.


7. Cancelled.

8. Cancelled.

9. (Previously Presented) The compound according to claim 1, represented by the structure:




10. (Previously Presented) The compound according to claim 1, represented by the structure:



(11)


wherein R_1 is a substituted or unsubstituted phenyl, piperidino, thiazolyl, 2-pyridinyl, 3-pyridinyl or 4-pyridinyl and n is an integer of 4 to 8.

11. (Previously Presented) The compound according to claim 1, represented by the structure:




wherein R_1 is a substituted or unsubstituted phenyl, piperidino, thiazolyl, 2-pyridinyl, 3-pyridinyl or 4-pyridinyl and n is an integer of 4 to 8.

12. (Previously Presented) The compound according to claim 1, represented by the structure:




wherein A is an amide moiety, R_1 and R_2 are each selected from substituted or unsubstituted aryl, arylalkyl, naphthyl, cycloalkyl, cycloalkylamino, pyridineamino, piperidino, 9-purine-6-amino, thiazoleamino, hydroxyl, branched or unbranched alkyl, alkenyl, alkyloxy, aryloxy, arylalkyloxy, pyridyl, quinolinyl or isoquinolinyl; and n is an integer of 3 to 10.

13. (Previously Presented) The compound according to claim 12, represented by the structure:




14. (Previously Presented) The compound according to claim 12, represented by the structure:



(13b)


15. (Previously Presented) The compound according to claim 1, represented by the structure:



(14)


wherein A is an amide moiety, R₁ and R₂ are each selected from substituted or unsubstituted aryl, arylalkyl, naphthyl, cycloalkyl, cycloalkylamino, pyridineamino, piperidino, 9-purine-6-amino, thiazoleamino, hydroxyl, branched or unbranched alkyl, alkenyl, alkyloxy, aryloxy, arylalkyloxy, pyridyl, quinolinyll or isoquinolinyll; R₃ is hydrogen, a halogen, a phenyl or a cycloalkyl moiety and n is an integer of 3 to 10.

16. (Previously Presented) The compound according to claim 15, represented by the structure:



(14a)


17. (Previously Presented) The compound according to claim 15, represented by the structure:



(14b)

wherein n is an integer from about 3 to 10.

18. (Previously Presented) The compound according to claim 1, represented by the structure:




(15)

-wherein L is a linker selected from the group consisting of an amide moiety, O-, -S-, -NH-, NR-, -CH₂-, -(CH₂)_p-, -(CH=CH)-, phenylene, cycloalkylene, or any combination thereof wherein R is a substituted or unsubstituted C₁-C₅ alkyl; and wherein each of R₁ and R₂ are independently a substituted or unsubstituted aryl, arylalkyl, naphthyl, cycloalkyl, cycloalkylamino, pyridineamino, piperidino, 9-purine-6-amino, thiazoleamino, hydroxyl, branched or unbranched alkyl, alkenyl, alkyloxy, aryloxy, arylalkyloxy, pyridyl, quinolinyl or isoquinolinyl; p is an integer of 0 to 10.


19. Cancelled.

20. (Previously Presented) The compound according to claim 18, represented by the structure:



(15b)

21. (Previously Presented) The compound according to claim 1, represented by the structure:



(29)

wherein


n is 2, 3, 4, 5, 6, 7 or 8;

q is 0 or 1;

p₁ and p₂ are independently of each other 0 or 1;

R₁ and R₂ are independently of each other an unsubstituted or substituted aryl, heteroaryl, cycloalkyl, heterocyclyl, alkylaryl, alkylheteroaryl, alkylcycloalkyl or alkylheterocyclyl; or when p₁ and p₂ are both 0, R₁ and R₂ together with the -CH₂-N-CH₂- group to which they are attached can also represent a nitrogen-containing heterocyclic ring; or when at least one of p₁ or p₂ is not 0, R₁ or R₂ or both can also represent hydrogen or alkyl.

22. (Previously Presented) The compound according to claim 1, represented by the structure:




(30)

wherein

n is 2, 3, 4, 5, 6, 7 or 8;

R₁ and R₂ are independently of each other a hydrogen or an unsubstituted or substituted alkyl, aryl, heteroaryl, cycloalkyl, heterocyclyl, alkylaryl, alkylheteroaryl, alkylcycloalkyl or alkylheterocyclyl.

23. (Previously Presented) The compound according to claim 1, represented by the structure:




(31)

wherein

n is 2, 3, 4, 5, 6, 7 or 8;

R₁ and R₂ are independently of each other a hydrogen or an unsubstituted or substituted alkyl, aryl, heteroaryl, cycloalkyl, heterocyclyl, alkylaryl, alkylheteroaryl, alkylcycloalkyl or alkylheterocyclyl.

24. (Previously Presented) The compound according to claim 1, represented by the structure:




(32)

wherein

n is 2, 3, 4, 5, 6, 7 or 8;

R₁ and R₂ are independently of each other an unsubstituted or substituted aryl, heteroaryl, cycloalkyl, heterocyclyl, alkylaryl, alkylheteroaryl, alkylcycloalkyl or alkylheterocyclyl; or R₁ and R₂ together with the -CH₂-N-CH₂- group to which they are attached can also represent a nitrogen-containing heterocyclic ring.

25. (Previously Presented) The compound according to claim 1, represented by the structure:



(33)


wherein

n is 2, 3, 4, 5, 6, 7 or 8;


R₁ and R₂ are independently of each other an unsubstituted or substituted aryl, heteroaryl, cycloalkyl, heterocyclyl, alkylaryl, alkylheteroaryl, alkylcycloalkyl or

alkylheterocyclyl; or R_1 and R_2 together with the $-\text{CH}_2\text{-N-CH}_2-$ group to which they are attached can also represent a nitrogen-containing heterocyclic ring.

26. (Previously Presented) The compound according to claim 1, represented by the structure:




wherein A is alkyl, aryl or a group selected from



wherein R_1 - R_{16} are independently of each other a hydrogen or an unsubstituted or substituted alkyl, aryl, cycloalkyl, heterocyclyl, alkylaryl, alkylcycloalkyl or alkylheterocyclyl; or one or more of R_1 and R_2 , R_6 and R_7 , and R_{11} and R_{12} , together with the nitrogen atom to which they are attached, form a nitrogen-containing heterocyclic ring; and

l , p and q are independently of each other 0, 1 or 2.


27. (Previously Presented) The compound according to claim 1, represented by the structure:



(36)


wherein

A is alkyl, aryl or a group selected from:



wherein R₁-R₁₆ are independently of each other a hydrogen or an unsubstituted or substituted alkyl, aryl, cycloalkyl, heterocyclyl, alkylaryl, alkylcycloalkyl or alkylheterocyclyl; or one or more of R₁ and R₂, R₆ and R₇, and R₁₁ and R₁₂, together with the nitrogen atom to which they are attached, form a nitrogen-containing heterocyclic ring;

B is



n is 0 or 1; and

l, p and q are independently of each other 0, 1 or 2.

28. (Previously Presented) A pharmaceutical composition comprising the compound of claim 1 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

29. Cancelled.

30. Cancelled.

31. Cancelled.

32. Cancelled.

33. (Previously Presented) The compound of claim 4 selected from the group consisting of:

Octanedioic acid phenylamide (7-phenylcarbamoyl-heptanoyloxy)-amide;

Octanedioic acid acetoxy-amide phenylamide;

Octanedioic acid (biphenyl-4-carbonyloxy)-amide phenylamide;

Octanedioic acid benzoyloxy-amide phenylamide;

Octanedioic acid (naphthalene-2-carbonyloxy)-amide phenylamide;

Octanedioic acid (naphthalene-1-carbonyloxy)-amide phenylamide;

Octanedioic acid (3-methoxy-benzoyloxy)-amide phenylamide;

Octanedioic acid (4-methoxy-benzoyloxy)-amide phenylamide;

Octanedioic acid (2-methoxy-benzoyloxy)-amide phenylamide;

Octanedioic acid (4-methyl-benzoyloxy)-amide phenylamide;

Octanedioic acid (4-chloro-benzoyloxy)-amide phenylamide;

Octanedioic acid (3-phenyl-acryloyloxy)-amide phenylamide;

Octanedioic acid phenylamide (pyridine-3-carbonyloxy)-amide;

Octanedioic acid (4-butyl-benzoyloxy)-amide phenylamide;

Octanedioic acid phenylamide (3-phenyl-propionyloxy)-amide;

Octanedioic acid phenylamide (4-phenyl-butyryloxy)-amide;

[1-Benzyl-2-oxo-2-(7-phenylcarbamoyl-heptanoylaminoxy)-ethyl]-carbamic acid benzyl ester;

and


[1-Benzyl-2-oxo-2-(7-phenylcarbamoyl-heptanoylaminoxy)-ethyl]-carbamic acid tert-butyl ester;

Or a stereoisomer thereof;

Or a pharmaceutically acceptable salt thereof;


Or a pharmaceutically acceptable salt of the stereoisomer thereof.

34. (Previously Presented) The compound of claim 4 that is



or a pharmaceutically acceptable salt thereof.

35. (Previously Presented) The compound of claim 4 that is



or a pharmaceutically acceptable salt thereof.

36. (Previously Presented) A pharmaceutical composition comprising the compound of claim 33 and a pharmaceutically acceptable carrier.

37. Cancelled.

38. (Previously Presented) The compound according to claim 5, wherein R_b is a hydrogen, methyl, ethyl, isopropyl, butyl, isobutyl, sec-butyl, t-butyl, phenyl, benzyl, alkylphenyl, naphthyl or pyridyl;
R_c is a hydrogen, methyl, ethyl, isopropyl, butyl, isobutyl, sec-butyl, t-butyl, phenyl, benzyl, alkylphenyl, naphthyl or pyridyl.